
# Kitsap County Initial Basin Assessment

October 1997

Open File Technical Report No. 97-04



## Prepared by: **Kitsap Public Utility District**

in association with: Economic and Engineering Services, Inc., Pacific Groundwater Group, Inc. Robinson & Noble, Inc., KCM, Inc.

Prepared in cooperation with

**Washington State Department of Ecology** 

NW Regional Office Water Resource Program 3190 160<sup>th</sup> Avenue SE Bellevue, WA 98008





1

#### **Contents**

1.	Intro	duction			
	1.1	Initial Watershed Assessments	1-1		
	1.2	Kitsap County Portion of Water Resource Inventory Area 15	1-1		
	1.3	Information Sources	1-2		
2.	Basin	Basin Description			
	2.1	Area Description	2-1		
	2.2	Subareas			
	2.3	Land Cover and Land Use	2-2		
	2.4	Climate	2-4		
	2.5	Water Balance	2-4		
	2.6	Population	2-4		
3.	Preci	pitation			
	3.1	Introduction	3-1		
	3.2	Spatial Distribution			
	3.3	Fog Drip			
4.	Surfa	ace Water Hydrology			
7.			4.1		
	4.1	Description of Drainage Network			
	4.2	Established Regulatory Instream Flows			
	4.3	Quantification of Streamflow			
	4.4	Streamflow Trends and Critical Indicators	4-3		
5.	Hydrogeology				
	5.1	General Hydrogeology	5-1		
	5.2	Geologic Units	5-2		
	5.3	Principal Aquifers	5-5		
	5.4	Ground Water Flow System	5-13		
	5.5	Ground Water Recharge	5-14		
	5.6	Ground Water - Surface Water Interaction	5-21		
	5.7	Seawater Intrusion	5-22		
	5.8	GWMP Ground Water Monitoring Network	5-23		
	5.9	Water Level Trends	5-25		
	5.10	Water Quality			
6.	Wate	er Demand			
	6.1	Land Use	6-1		

#### P:\basindoc\version3\toc October 3, 1997

	6.2	Population	6-1		
	6.3	Water Use	6-2		
	6.4	Current and Future Demand	6-2		
	6.5	Water Reuse in Kitsap County	6-3		
	6.6	Summary and Implications for Future Allocations	6-5		
7.	Fisheries Habitat and Water Quality Assessment				
	7.1	Resources	7-1		
	7.2	Fisheries Assessment	7-2		
8.	Water Allocation				
	8.1	Instream Resource Protection Program - Kitsap WRIA	8-1		
	8.2	Water Rights and Claims	8-2		
	8.3	Undetermined Water Rights	8-8		
9.	Suba	rea Characteristics and Water Availability Summary			
	9.1	Hansville Subarea	9-5		
	9.2	Kingston Subarea	9-8		
	9.3	Port Gamble Subarea	9-12		
	9.4	Poulsbo Subarea	9-15		
	9.5	Bangor Subarea	9-18		
	9.6	Bainbridge Island Subarea	9-22		
	9.7	Manette Subarea			
	9.8	Chico Subarea			
	9.9	Seabeck Subarea			
	9.10	Stavis Subarea			
	9.11	Manchester Subarea			
	9.12	Gorst Subarea			
	9.13	Union Subarea			
	9.14	Tahuya Subarea			
	9.15	Anderson Subarea			
	9.16	Olalla Subarea			
	9.17	McCormick Subarea			
	9.18	Dewatto Subarea	9-58		

## **Exhibits**

1-1	Water Resource Inventory Area Map	1-3
2-1	Sub-Area Boundaries	2-6
2-1a	Revised Sub-Area Boundaries	
2-2	Kitsap County Comprehensive Plan Map	
2-3	Land Cover	
2-4	Kitsap County Land Cover (Satellite Data)	
2-5	Kitsap County Land Use - Assessor Data	
2-6	Washington State Population Density	
3-1	Spatial Distribution of Precipitation	3-4
3-2	Summary of Precipitation Monitoring	
	Stations in Kitsap County	3-5
3-3	Summary of Precipitation Data for Isohyetal Map	
3-4	Total Annual Precipitation at Bremerton	
3-5	Long-term Precipitation Trends Comparison of Fire Station,	
	McKenna Falls, and Seabeck-Munroe Data	3-8
4-1	Rivers and Streams	4-10
4-2	Stream Monitoring Sites	4-11
4-3	Minimum Instream Flow (MISF) Requirements and Stream	
	Closures in Kitsap County	
4-4	Summary of Stream Gaging Stations in Kitsap County	4-13
4-5	Average and Minimum Flow Trends	
	Chico Creek near Bremerton	
4-6	Average and Minimum Flow Trends Burley Creek at Burley	4-15
4-7	Average and Minimum Flow Trends	
	Big Beef Creek near Seabeck	4-16
4-8	Average and Minimum Flow Trends	
	Dogfish Creek near Poulsbo	4-17
4-9	Average and Minimum Flow Trends	
	Gold Creek near Bremerton	4-18
4-10	Flow Exceedence Probabilities and Recent	
	Hydrographs Chico Creek near Bremerton	4-19
4-11	Flow Exceedence Probabilities and Recent	
	Hydrographs Burley Creek at Burley	4-20
4-12	Flow Exceedence Probabilities and Recent	
	Hydrographs Dogfish Creek near Poulsbo	4-21
4-13	Streamflow Hydrograph for Chico Creek	4-22

4-14	Streamflow Hydrograph for Clear Creek	4-23
4-15	Streamflow Hydrograph for Burley Creek	
4-16	Streamflow Hydrograph for Dogfish Creek	
4-17	Streamflow Hydrograph for Barker Creek	
4-18	Streamflow Hydrograph for Gorst Creek	
4-19	Streamflow Hydrograph for Blackjack Creek	
4-20	Instream Flows and Flow Exceedence Probabilities	
	Big Beef Creek near Seabeck	4-29
4-21	Instream flows and Flow Exceedence Probabilities	
	Tahuya River near Belfair	4-30
4-22	Instream Flows and Recent Flow Hydrographs	
	Gorst Creek near Gorst	4-31
5-1a	Conceptual Hydrogeologic Model of Kitsap County	
5-1b	Nomenclature and Regional Correlation of Stratigraphy	
5-2	Principal Aquifers and Locations of Geologic Cross-sections	
5-3	List of Principal Aquifers Identified in Kitsap County	
5-4	Shallow Ground Water Flow and Static Water Level Contours	
5-5	Infiltration Potential of Surficial Soils	
5-6a	Estimated Water Balance Components for Subareas	5-44
5-6b	Distribution of Precipitation by Subarea	5-45
5-7	Total Runoff Statistics for Gaging Stations in Kitsap County	5-46
5-8	Wells with Water Levels in Kitsap County	5-47
5-9	Geographic Distribution of Wells with Water Level Hydrographs	5-48
5-10	Scatterplot of Change in Water Levels vs. Completion Elevation for wells	
	in Kitsap County	5-49
5-11a	Scatterplot for Kingston Subarea	5-50
5-11b	Scatterplot for Port Gamble Subarea	5-51
5-11c	Scatterplot for Poulsbo Subarea	5-52
5-11d	Scatterplot for Bangor Subarea	
	Scatterplot for Bainbridge Subarea	
	Scatterplot for Manette Subarea	
	Scatterplot for Chico Subarea	
_	Scatterplot for Seabeck Subarea	
5-11i	Scatterplot for Manchester Subarea	
5-11j	Scatterplot for Gorst Subarea	
3	Scatterplot for Union Subarea	
5-111	Scatterplot for Tahuya Subarea	
	Scatterplot for Olalla Subarea	
	Scatterplot for McCormick Subarea	
5-110		
5-12	Comparison of Water Level Trends in the Eldorado Hills Well 4	0.
J 12	with Precipitation at Bremerton	5-65
5-13	Comparison of Water Level Trends in the Island Center Well	05
5 15	with Precipitation at Bremerton	5-66
5-14	Comparison of Water Level Trends in the Ritter Lane Well	00
J 1 T	comparison of mater be for french in the fatter bane well	

#### P:\basindoc\version3\toc October 3, 1997

	with Precipitation at Bremerton	5-67
5-15	Water Quality Data Collection Sites	5-68
5-16	Wells with Significant Levels of Chlorides and Conductivity	5-69
5-17	Wells with Significant Levels of Nitrates	
5-18	Wells with Significant Levels of Iron and Manganese	5-71
5-19	Hydrogeologic Cross Section M-M'	5-72
5-20	Hydrogeologic Cross Section X-X & L-L'	
5-21	Hydrogeologic Cross Section W-W'	5-74
5-22	Hydrogeologic Cross Sections Q-Q' & V-V'	5-75
5-23	Hydrogeologic Cross Section P-P'	
5-24	Hydrogeologic Cross Section D-D'	5-77
5-25	Hydrogeologic Cross Section J-J'	5-78
5-26	Comparison of Inorganic Water Quality	5-79
6-1	Kitsap County Land Use Classified Other than Urban or Suburban	6-6
6-2	Kitsap County Land Cover (By Satellite) Classified as	
	Forested or Natural Cover	6-7
6-3	Kitsap County Water Use	6-8
6-4	Population Density Calculated by Subarea	
6-5	Average and Peak Day Water Demand	
6-6	Wastewater Treatment Plants	6-11
7-1	Rivers with Salmonid Use	7-10
7-2	Summary Matrix of Water Quality and Fisheries	
	Habitat Assessments in Kitsap County	7-11
7-3	Distribution of Wetlands by Sub-Area	
8-1	Cumulative Water Rights vs. Time	8-9
	-d)Total Allocations and Claims	
8-3	Surface Water Right Certificates and Permits by Section	
8-4	Surface Water Right Claims by Section	
8-5	Ground Water Right Certificates and Permits by Section	
8-6	Ground Water Right Claims by Section	
8-7a	Estimated Water Balance by Subareas	
8-7b	Comparisons of Total Inflow Current Water Allocations, and	5 10
	Pending Applications	8-16
8-8	Surface Water Right Applications by Section	
8-9	Ground Water Rights Applications by Section	
9-1	Relative Importance of Data Gaps to Allocation Decisions	
9-2	Water Rights Decision Data Requirements	
9-3	Data Gaps -Relative Importance to Additional Water Rights Allocations	9-63

### **Appendices**

- A Memorandum of Agreement with Ecology
- B Instream Resource Protection Program—Kitsap WRIA 15
- C Miscellaneous Streamflow Measurements and Reports
- D References
- E Fish and Habitat Annotated Bibliography
- F Draft Ground Water Management Plan- Issue Paper Summary
- G List of Acronyms
- H Water Level Hydrographs for Wells in Kitsap County, Parts 1, 2, 3, 4 and 5
- I Kitsap County Water Balance
- J Kitsap County Hazardous Waste Sites
- K Hazardous Material Generation Sites in Kitsap County
- L Washington Rivers Information System Database. Example GIS presentation of data

## Section 5 Hydrogeology

#### 5.1 General Hydrogeology

The general geology, hydrogeology, and water resources of Kitsap County have been described by others (Sceva, 1954, Garling, 1965). Much of the discussion in this section is excerpted from the Kitsap County Ground Water Management Plan (GWMP); Volumes I and II (EES, et al., 1991). Kitsap County (County) lies in the center of the Puget Sound Lowland (Lowland). The Lowland lies between the Olympic Mountains to the west and the Cascade Range to the east. The Lowland is part of a large glacial drift plain formed by multiple glaciations over the area. This history of complex glacial erosion and deposition events, separated by long periods of non-glacial deposition, has created a very complex mixture of unconsolidated sediments beneath the area. This sediment blanket ranges in thickness from zero to over 3,600 feet. It overlays an irregular bedrock surface which is exposed in the central and eastern portions of the county on south Bainbridge Island, Bremerton, Port Orchard, and the Green and Gold Mountain highlands.

The majority of ground water in the County is contained in the unconsolidated sediments. A conceptual model of unconsolidated sediments is depicted in **Exhibit 5-1a**, a generalized hydrogeologic cross-section for the County. The exhibit shows a layered system of water-bearing units (aquifers) and low permeability units which retard water flow (aquitards). For the purpose of simplification, aquifers and aquitards are generalized into regionally extensive units. In actuality, textural variability within the units may result in a more complex assemblage of interfingered aquifers and aquitards occurring on scales ranging from regional to local. **Exhibit 5-1b** provides nomenclature and regional correlation of the associated stratigraphy.

The ground water flow system is recharged by precipitation falling on the land surface. Precipitation also becomes surface runoff to the County's rivers and streams, evaporation from above-ground surfaces, and transpiration from plants that intercept water infiltrating the root zone. Ground water recharge is areally distributed throughout the county, whereas ground water discharge is concentrated around surface-water features such as streams, rivers, lakes, wetlands, and marine bodies. Discharge tends to occur at lower elevations to both surface water and springs, but also occurs to wells regardless of their location.

Ground water flow within aquifers is predominantly horizontal, beginning at recharge areas and flowing towards discharge areas. Ground water flow between aquifers is predominantly vertical, and typically much slower due to the lower permeability of aquitards. In portions of Kitsap County, uppermost (shallow) aquifers are commonly "perched" above aquitards and local in areal extent. Perched conditions occur where unsaturated sediments separate the bottom of the aquitard from the regional water table below. Ground water in perched aquifers reaches deeper aquifers either by slowly percolating through the underlying aquitard or by flowing (more quickly) around it's edge. The deeper sediments are typically fully saturated, especially below

Hydrogeology 5-1